

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

1. (original): A laminate having a layer (A) comprising a fluoro-resin and a layer (B) comprising a fluorine-free organic material, wherein said laminate has a fuel permeation rate of not higher than $1.5 \text{ g/m}^2/\text{day}$.
2. (original): The laminate according to Claim 1, wherein the fluoro-resin comprises a fluoro-resin (a) having a fuel permeation coefficient of not higher than $1 \text{ g}\cdot\text{mm/m}^2/\text{day}$.
3. (original): The laminate according to Claim 2, wherein the fluoro-resin (a) comprises a fluoro-resin (a1) having a fuel permeation coefficient of not higher than $0.3 \text{ g}\cdot\text{mm/m}^2/\text{day}$.
4. (currently amended): The laminate according to Claim 2-~~or~~ 3, wherein the fluoro-resin (a) is a perfluoro-based resin.
5. (original): The laminate according to Claim 3, wherein a polymer constituting the fluoro-resin (a1) is a chlorotrifluoroethylene copolymer comprising chlorotrifluoroethylene, ethylene and/or a fluorine-containing monomer.

6. (original): The laminate according to Claim 3, wherein a polymer constituting the fluororesin (a1) is a chlorotrifluoroethylene copolymer comprising chlorotrifluoroethylene units, tetrafluoroethylene units and monomer [A] units derived from monomers [A] copolymerizable with chlorotrifluoroethylene and tetrafluoroethylene, said chlorotrifluoroethylene unit and said tetrafluoroethylene unit amounting to 90 to 99.9 mole percent in total, said monomer [A] unit amounting to 10 to 0.1 mole percent.

7. (currently amended): The laminate according to Claim 1, ~~2, 3, 4, 5 or 6~~, wherein the fluorine-free organic material comprises a polyamide-based resin and/or a polyolefin-based resin.

8. (currently amended): The laminate according to Claim 1, ~~2, 3, 4, 5, 6 or 7~~, which is a laminate for a fuel tube, wherein said layer (A) is the fuel tube innermost layer.